BMC Psychiatry



Oral presentation Open Access

The involuntary psychiatric treatment and child welfare placements in Finland 1996-2003: a nationwide register study

Ulla Siponen*¹, Maritta Välimäki¹, Matti Kaivosoja², Mauri Marttunen³ and Riittakerttu Kaltiala-Heino⁴

Address: ¹Department of Nursing Science, University of Turku, 20014 University of Turku, Finland, ²Keski-Pohjanmaa Hospital District, Mariankatu 16-20, 67200 Kokkola, Finland, ³University of Kuopio, Department of Psychiatry, P.O. Box 1627, 70211 Kuopio, Finland and ⁴Tampere University Hospital, Department of Adolescent Psychiatry, 33380 Pitkäniemi Tampere, Finland

from WPA Thematic Conference. Coercive Treatment in Psychiatry: A Comprehensive Review Dresden, Germany. 6–8 June 2007

Published: 19 December 2007

BMC Psychiatry 2007, 7(Suppl 1):S128 doi:10.1186/1471-244X-7-S1-S128

This abstract is available from: http://www.biomedcentral.com/1471-244X/7/S1/S128

© 2007 Siponen et al; licensee BioMed Central Ltd.

Background

Emotional and behavioral problems are common in young people and mental health problems are frequently intertwined with social problems. Both involuntary psychiatric treatment and taking into care may be used in order to manage youth behavioral problems. Compulsory interventions always endanger violating basic civil rights and therefore careful monitoring of them is warranted. The objective of this study was to evaluate trends in Finland in involuntary psychiatric inpatient treatment and taking into care 12 – 17-year-old adolescents from the year 1996 to the year 2003.

Methods

A nationally representative retrospective register study of the period 1996 – 2003 using the hospital discharge register and child welfare register in Finland.

Results

The results showed that both types of compulsory interventions increased vastly during the study period. The numbers of involuntary psychiatric treatment periods and child welfare placements of adolescents varied considerably in relation to each other, and across different regions of the country.

Conclusion

As there is no evidence of a vast increase in mental disorders or serious behavioral problems in young people,

there is an obvious need for further research on reasons of the significant increase in the use of coercion and for the wide regional variation. Possible explanations discussed are different service structures and treatment cultures.

^{*} Corresponding author