# CORRECTION

# **BMC** Psychiatry

# **Open Access**

# Correction to: The Japanese version of the questionnaire about the process of recovery: development and validity and reliability testing



Akiko Kanehara<sup>1\*†</sup>, Risa Kotake<sup>2†</sup>, Yuki Miyamoto<sup>3</sup>, Yousuke Kumakura<sup>3</sup>, Kentaro Morita<sup>1</sup>, Tomoko Ishiura<sup>1</sup>, Kimiko Shimizu<sup>4</sup>, Yumiko Fujieda<sup>4</sup>, Shuntaro Ando<sup>1</sup>, Shinsuke Kondo<sup>1</sup> and Kiyoto Kasai<sup>1</sup>

## Correction to: BMC Psychiatry https://doi.org/10.1186/s12888-017-1520-y

After publication of our article [1] we were notified that the 5-point Likert-type scale in Additional file 1 needs to change from "1 to 5" to "0 to 4". The updated Additional file 1 is included in this correction.

In the original QPR (Neil et al., 2009), the scale ranged from 0 to 4. However, when the authors made the test version of the questionnaire form (in Japanese), it unintentionally became ranged from 1 to 5.

### Supplementary information

Supplementary information accompanies this paper at https://doi.org/10. 1186/s12888-020-2430-y.

**Additional file 1.** Japanese version of the Questionnaire about the Process of Recovery (QPR-J).

#### Author details

<sup>1</sup>Department of Neuropsychiatry, Graduate School of Medicine, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-8655, Japan. <sup>2</sup>Seiwa-Kai Nishikawa Hospital, 293-2 Minatomachi, Hamada-shi, Shimane 697-0052, Japan. <sup>3</sup>Department of Mental Health /Psychiatric Nursing, Graduate School of Medicine, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-0033, Japan. <sup>4</sup>Department of Rehabilitation, The University of Tokyo Hospital, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-8655, Japan.

#### Published online: 09 January 2020

#### Reference

 Kanehara, et al. The Japanese version of the questionnaire about the process of recovery: development and validity and reliability testing. BMC Psychiatry. 2017;17:360. https://doi.org/10.1186/s12888-017-1520-y.

The original article can be found online at https://doi.org/10.1186/s12888-017-1520-y

\* Correspondence: a-kanehara@umin.ac.jp

<sup>+</sup>Akiko Kanehara and Risa Kotake contributed equally to this work. <sup>1</sup>Department of Neuropsychiatry, Graduate School of Medicine, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-8655, Japan Full list of author information is available at the end of the article



© The Author(s). 2020 **Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated.